

06/06/00
JC822 U.S. PTO

06-07-00

Docket Number F-126
Pitney Bowes Inc.
35 Waterview Drive
P.O. Box 3000
Shelton, CT 06484-8000
June 6, 2000

JC809 U.S. PTO
09/588853
06/06/00

BOX PATENT APPLICATION
ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

Inventor: Robert A. Law

For: RECIPIENT CONTROL OVER ASPECTS OF INCOMING MESSAGES

Enclosed are:

Eighteen (18) pages comprising the specification, claims, and abstract.

Three (3) sheets of drawing.

A Declaration and Power of Attorney.

An Information Disclosure Statement.

A Recordation of Assignment Request and an Assignment of the invention to Pitney Bowes Incorporated, 1 Elmcroft Road, Stamford, Connecticut 06926-0700.

Certificate of Mailing by Express Mail. The number of the Express Mail label is EJ706018088US.


Fees calculated as follows:

| | | | | | | |
|---------------------------|-----------------|--------|-----------------|---|----------|-----------|
| Basic Fee | | | | | | \$ 690.00 |
| Claims Fee | Number Filed | | Number Extra | | Rate | |
| Total Claims | 18 | - 20 = | 0 | X | \$18.00 | = \$ 0.00 |
| Independent Claims | 2 | - 3 = | 0 | X | \$78.00 | = \$ 0.00 |
| Multiple Dependent Claims | | | | | \$260.00 | = \$ |
| Total Filing Fee | | | | | | \$ 690.00 |

Please charge our Deposit Account Number **16-1885** in the amount of \$ 690.00 for the filing fee.

The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Account Number **16-1885**.

A copy of this Transmittal Letter is enclosed for use in charging the Deposit Account.



Angelo N. Chaclos
Reg. No. 39,134
Attorney of Record
Telephone (203) 924-3844

06588853 060600

**RECIPIENT CONTROL OVER ASPECTS
OF INCOMING MESSAGES**

Cross Reference to Related Applications

This application is related to the following co-pending applications filed
5 concurrently herewith and commonly assigned to the assignee of this application:
US Patent Application Number aa/aaa,aaa, entitled MESSAGING SYSTEM
HAVING RECIPIENT PROFILING (Attorney Docket No. E-848) and US Patent
Application Number aa/aaa,aaa, entitled INFORMATION DELIVERY SYSTEM
FOR PROVIDING SENDERS WITH A RECIPIENT'S MESSAGING
10 PREFERENCES (Attorney Docket No. F-160), both of which are specifically
incorporated herein by reference.

Field of the Invention

This invention relates generally to messaging systems. More particularly,
in the preferred embodiments, this invention is directed to techniques allowing a
15 recipient, receiving messages from a plurality of different messaging systems
operated by respective senders desiring to communicate with the recipient, to
control various aspects of the messages generated by the senders and intended
for the recipient.

Background of the Invention

20 Traditionally, recipients (individuals, businesses and households) have
had little opportunity to influence the mail that is sent to them. Merely having a
post office address has served as an open invitation to mailers (one type of
message senders) wishing to communicate with the recipient. Historically,
recipients have been limited in their ability to control any aspects of the mail.
25 Many factors place increased demands on the effectiveness of messages.
First, the costs of generating and delivering messages is always increasing.

055886 E 888550

Second, senders must compete for the recipient's attention due to the large number of messages that are typically received. Third, recipients need timely and easy access to their messages so that they are able to retrieve and discern them efficiently. Numerous other factors exist.

5 Generally, various postal authorities around the world provided some narrow ability for a recipient to control the mail. One service is mail forwarding (holiday, temporary move, secondary address, etc.) where the mail is redirected from an original address specified by the sender to another address specified by the recipient. This service may be utilized when the recipient moves. Although
10 this service generally works well, it suffers from certain drawbacks and disadvantages. As an example, delays are typically involved in redirecting the mail. Furthermore, the sender is typically unaware of the new address and may continue to send subsequent mail to the old address. Address correction databases that contain updated information about the recipient's address are
15 only updated periodically and must be accessed by the sender to obtain that new information. This delay has potential negative consequences for both the sender and the recipient. As another example, delivery costs for the postal authority are increased because the mail is often routed to the old address before being forwarded to the new address. Therefore, due to all of the above, the sender and
20 the recipient suffer a loss in quality of service while cost for the postal authority increase.

 In addition to or as an alternative to notifying the postal authority and described above, the recipient who has moved may attempt to provide various senders with the new address. However, this is time consuming and generally
25 not very effective since it may only pertain to physical mail.

 Another type of service is mail holding where the mail is held by the postal authority and not delivered to the recipient. This service may be utilized when the recipient is away from home for a period of time. Although this service generally works well, it suffers from certain drawbacks and disadvantages. As an
30 example, mail tends to collect at the postal authority facilities and this increases

storage and handling costs for the postal authority. Furthermore, the sender is typically unaware of the hold that has been placed on delivery and may continue to send subsequent mail believing that the recipient is receiving mail. This compounds the storage problem for the postal authority and the timeliness issue for the sender and the recipient.

Therefore, due to all of the above, the sender and the recipient suffer a loss in quality of service while costs for the postal authority are generally increased. As a result, there is a need for improved recipient control over various parameters associated with messages, in particular mail, intended for a recipient.

Summary of the Invention

The present invention provides a system and methods for improving the collection and dissemination of recipient preferences for messages. Generally, this is accomplished by collecting recipient preference data and making it available to a plurality of discrete messaging systems for use in preparing messages intended for a selected recipient.

In accordance with the present invention, there is provided a system including a plurality of messaging systems, a data center and a control system. The plurality of messaging systems process respective messages intended for recipients. The data center is in operative communication with the plurality of messaging systems and stores a recipient preference profile associated with each respective recipient. The control system accessing an intended recipient preference profile corresponding to an intended recipient of a message and uses the intended recipient preference profile to process the message.

In accordance with the present invention, a method of operating a data center and a data structure are also provided.

Therefore, it is now apparent that the present invention substantially overcomes the disadvantages associated with the prior art. Additional advantages of the invention will be set forth in the description that follows, and in part will be obvious from the description, or may be learned by practice of the

invention. The objects and advantages of the invention may be realized and obtained by means of the instrumentalities and combinations particularly pointed out in the appended claims.

Brief Description of the Drawings

5 The accompanying drawings, which are incorporated in and constitute a part of the specification, illustrate presently preferred embodiments of the invention, and together with the general description given above and the detailed description of the preferred embodiments given below, serve to explain the principles of the invention. As shown throughout the drawings, like reference
10 numerals designate like or corresponding parts.

 Fig. 1 is a simplified representation of a system including a data center, a plurality of distributed messaging systems and a plurality of recipients, both in electronic communication with the data center, in which the present invention may be incorporated.

15 Fig. 2 is a schematic representation of a template for a recipient preference profile describing various parameters intended to control aspects of messages sent by the senders that are intended for the recipient, in accordance with the present invention.

 Fig. 3 is a schematic diagram of information flow between recipients, the
20 data center and the messaging systems that facilitates recipient influenced messaging in accordance with the present invention.

Detailed Description of the Preferred Embodiments

 Referring to Fig. 1, an example of a system 100 for collecting message preference data from recipients 180 and providing those preferences to senders
25 of messages, in which the present invention may be incorporated, is shown. The information system includes a data center 110 in communication over any suitable communication network 102 (LAN, WAN, telephone line, Internet, etc.) with a plurality of remotely located (geographically dispersed) messaging

systems 150 and a plurality of remotely located recipients 180. The messaging systems 150 may include any device that is utilized by a sender (not shown) to produce a message (not shown) intended for a recipient 180 (described in greater detail below). Examples of messaging systems are: a traditional postage meter 152, such as the Personal Post™ meter; an open system postage meter 154, such as the ClickStamp™ online postage system employing a personal computer 154a and a dot matrix (laser, ink jet, thermal transfer, etc.) printer 154b; and an inserter 156, such as the 8 Series™ inserting system; all available from Pitney Bowes of Stamford, Connecticut. Still other examples of messaging systems are shipping and logistics systems (not shown), addressing systems, such as the AddressRight™ system available from Pitney Bowes of Stamford, Connecticut, electronic mail (not shown) and the like. Because messaging systems are well known, their descriptions have been limited for the sake of brevity to only that which is necessary to provide suitable background for an understanding of the present invention.

Generally, it is anticipated that the messaging systems 150 would be located primarily in business offices and in private residences and used for a variety of purposes, including message creation, addressing, output generation and/or delivery. The data center 110 is maintained and operated by an administrative agency (not shown), such as the supplier of the messaging systems 150, and may communicate with the messaging systems 150 in a variety of different ways. Those skilled in the art will recognize that not each messaging system 150 need utilize the same type of communication network 102 in contacting the data center 110. Furthermore, depending on the needs of each messaging system 150, the messaging systems 150 may or may not need full time access to the data center 110 to perform their respective tasks. The data center 110 may employ any suitable combination of computer hardware and software (control system) to facilitate the storage, access and processing of information and various communications that are required as described below.

In conventional fashion, the messaging systems 150 are used by their

000000" E533560

respective operators to perform one or more of the steps in the messaging process (creation, addressing, output generation, delivery, etc.). For example, the traditional postage meter 152 and the open system postage meter 154 may be used to apply a postal indicia (not shown) on an envelope (not shown) that contains a letter (not shown) for delivery to a recipient 180. The postal indicia typically includes at least date and postage value data. The inserter 156 may be used to create, assemble, fold and/or insert a document (not shown) into an envelope (not shown) for subsequent delivery. Therefore, the inserter 156 may have information pertaining to the content of the envelope and the recipient 180 of the envelope. In analogous fashion, the other types of messaging systems 150 all have access to various data about the messages that they process. Those skilled in the art will appreciate that the types of data available are quite varied and ever increasing as newer more intelligent products are being introduced. Those skilled in the art will also appreciate that the messaging systems 150 each have their own suitable combination of computer hardware and software (control system) that operates to control the functioning of the messaging system 150 and communicate, as necessary, with the data center 110.

The recipients 180 may be an individual 182, a household 184, a business 186 or any other entity or organization that receives messages. The recipients may communicate with the data center 110 in any conventional manner. As examples, the recipients 180 may communicate with an automated voice response system (not shown) over conventional telephone lines or via a web site located via a global communication network. Each of the recipients 180 establishes a recipient preference profile (see Fig. 2 and description below) that may be stored in the data center 110 in a recipient preference profiles database 192. As necessary, the recipients 180 may access their profiles in order to make corrections and/or changes to any information in their respective preference profiles.

Referring to Fig. 2 in view of Fig. 1, a template for a recipient preference

profile 190 is shown. The recipient preference profile 190 is preferably stored in any suitable memory device (database server, memory farm, hard disk, etc.) and defines various parameters intended to control aspects of messages sent by the senders that are intended for the recipient. Those skilled in the art will recognize that the parameters defined below are mutually exclusive and may be employed in any combination. In conventional fashion, the recipient preference profiles 190 may be accessed by any suitable technique, such as an application software program executed by the data center 110 control system. The recipient preference profile 190 may include: a recipient identifier or ID data 190a; message format data 190b; delivery instruction data 190c; interest data 190d; no interest data 190e; primary address data 190f and secondary address data 190g. The recipient ID data 190a may be a name (individual, household or business) or any other suitably unique identifier (alphanumeric, etc.) and simply distinguishes the recipient 180 from other recipients 180. The message format data 190b may indicate the recipient's preferred mode of communication (physical mail, electronic mail, facsimile transmission, voice mail, etc.), combination of modes of communication and/or priority for modes of communication in which to receive messages. The delivery instruction data 190c indicates if any optional delivery preferences, such as: hold messages, temporary reroute messages, etc.; are active. For example, a hold message instruction may be utilized by the recipient 180 when the recipient 180 is not available (vacation, business travel, etc.) to receive messages. As another example, the temporary reroute messages instruction may be utilized by the recipient 180 when the recipient 180 wished to have messages sent to an alternate address 190g (described below) during selected time periods, such as: vacation addresses and the like. The interest data 190d indicates if the recipient 180 has any desire to hear from particular types of senders. The no interest data 190e indicates if the recipient 180 has any desire to not hear from particular types of senders. The primary address data 190f represents the default address (postal delivery, electronic mail, phone number, etc.) to which messages should be sent. If the recipient 180 moves,

then the primary address data 190f may be updated by the recipient 180 to reflect a new address. Analogously, the secondary address data 190g represents an alternate address to which messages should be sent if directed so by the delivery instruction data 190c.

5 The interest data 190d and the no interest data 190e include indications of types of industry segments that the recipient may or may not, respectively, wish to hear from. These data 190d and 190e may be captured in any conventional manner. One system for available for use is the Standard Industry Code (SIC) system that assigns SIC numbers for a variety of well known industry segments. 10 As examples, automobile rental companies would be assigned a SIC number in the range of 2100 to 2199, while automobile dealerships would be assigned a SIC number in the range of 2400-2499 and service stations would be assigned a SIC number in the range of 4000 to 4099. Still other SIC numbers exist for financial institutions, health care providers, legal service providers, professional 15 associations, utility service providers, governmental agencies and a variety of other industry segments. Accordingly, SIC numbers corresponding to industries that the recipient 180 desires to hear from could be placed in the interest data 190d while SIC numbers corresponding to industries that the recipient 180 does not want to hear from could be placed in the no interest data 190e.

20 With the structure of the information system 100 described as above, the operational characteristics will now be described with respect to how recipient preference profiles 190 are generated by the recipients and potentially used by the messaging systems 150. Referring primarily to Fig. 3 while referencing the structure of Figs. 1 and 2, a schematic diagram of the information flow between 25 the recipients 180, the data center 110 and the messaging systems 150 that facilitates recipient influenced messaging in accordance with the present invention is shown.

 Generally, the recipients 180 establish their respective recipient preference profiles 190 with the data center 110 in any conventional manner.

30 These profiles 190 are then accessed by the messaging systems 150 at any time

prior to dispatching a message for delivery to a particular recipient 180. The messaging systems 150 may access the profiles 190 through real time communication with the data center 110 or by downloading the profiles 190 to the messaging system 150 for subsequent use. In a most preferred aspect of the present invention, the database of recipient profiles 190 is downloaded to each messaging system 150 at periodic intervals. During the message creation process (content creation, addressing, output generation, etc.), the messaging system 150 determines if a profile 190 exists for an intended recipient 180. If not, then the messaging system 150 continues normal operation. On the other hand, if a profile 190 corresponding to the intended recipient 180 does exist, then the messaging system 150 utilizes the data 190a-190g provided in the intended recipients profile 190 to control the messaging process. For example, if the intended recipients profile 190 indicates a preferred form of communication in the message format data 190b, then the messaging selects that form of communication (if available). This has the benefit of allowing the intended recipient 180 to control the format of messages that it will receive. Those skilled in the art will recognize that not each type of messaging system 150 will be capable of executing each form of communication. As another example, if the primary address data 190f is different from the address that was previously available to the messaging system 150, then the messaging system 150 adopts the address provided by the primary address data 190f. This has the benefit of providing faster updating of new addresses to senders and allows for updates to occur at a single source. Thus, the delays and costs associated with the traditional practices described above are substantially alleviated.

Delivery instruction data 190c may also be established by the recipients 180 and utilized by the messaging systems 150 to more efficiently route messages to the intended recipient 180. If a temporary reroute messages instruction is provided, then the senders via their messaging systems 150 can utilize the secondary address data 190g as a destination address for the intended recipient 180 over a specified period of time. In this manner, delays

and extra handling as discussed above are eliminated. If a hold messages instruction is provided, then the messaging systems 150 will not dispatch the messages for delivery. In this manner, the storage costs for the carrier are eliminated. Also, the sender has an opportunity to consolidate messages that
5 are generated during this interval into a single comprehensive message at potentially less cost than dispatching individual messages. The messaging systems 150 may facilitate this by keeping a track of messages that have been held and giving the sender an opportunity to consolidate messages directed to the same intended recipient 180 that are waiting for dispatch.

10 The interest data 190d and the no interest data 190e may also be established by the recipients 180 and utilized by the messaging systems 150 to more effectively route messages to the intended recipient 180. Using the interest data 190d, the senders may scan the profiles 190 looking for recipients that are likely to be interested in their messages (solicitations, informational
15 communication, etc.). Thus, the senders would achieve greater effectiveness on their message delivery programs because they would have an indication the certain recipients 180 have a previously acknowledged interest in a particular industry or industries. On the other hand, using the no interest data 190e, the senders may also increase the effectiveness of their message delivery programs while reducing costs. While scanning the profiles 190 in general or accessing
20 profiles 190 for recipients 180 that have already be designated to receive a message, the sender may terminate further processing of certain messages by out sorting any recipients 180 that have provided an indication that they are not likely to be interested in any messages (solicitations, information communication,
25 etc.) from a particular industry or industries. In other words, messages intended for such recipients will be terminated (not generated, not dispatched, etc.). This may be achieved automatically by including in the messaging systems 150 an indication of the senders SIC number. Thus, the SIC numbers supplied by the recipients as no interest data may be compared with the SIC numbers assigned
30 to the senders. Thus, the senders would save costs by foregoing to dispatch any

messages to these recipients 180. Additionally, these recipients 180 benefit in that they are not distracted by the receipt of undesired messages.

As an optional feature, an original sender that has been designated in the no interest data 190e by a recipient 180 may not necessarily terminate messages intended for the recipient 180. The original sender may utilize the interest data 190d from of the recipient 180 to locate an alternate sender to serve as the primary contact with the recipient 180. Thus, the original sender and the alternate sender may collaborate on dispatching a message to the recipient 180. As an example, if a recipient 180 designates financial service companies in its no interest data 190e and home improvement companies in its interest data 190e, then a financial service company may partner with a home improvement company on sending a message to the recipient 180. In this example, the home improvement company (alternate sender) may take the "lead" on the message by describing various home improvement products and/or services that it provides while indicating that, if needed, a second mortgage line of credit to cover the costs associated with the home improvements are also available from their partner (original sender). As another example, the original sender may still dispatch a message to the recipient without directly contacting a partner. To continue the theme introduced above, the original sender may focus the message on obtaining a second mortgage line of credit to cover the costs associated with the home improvements and then provide a listing of home improvement specialists in proximity to the recipients 180.

Thus, it should now be understood that messages from senders falling into "no interest" categories might be modified in several ways. The examples have been discussed above are: (i) terminating the messages; (ii) redirecting the message as originating from a source other than the original sender; and (iii) editing the message to suit an interest of the recipient.

Based on the above description and the associated drawings, it should now be apparent that the present invention improves many aspects of the messaging industry by letting recipients directly control the flow of messages.

Many features of the preferred embodiment represent design choices selected to best exploit the inventive concept as implemented in a particular messaging environment as pertaining to individual private recipients. However, those skilled in the art will recognize that various modifications can be made

5 without departing from the spirit of the present invention to adapt the concepts of the present invention to address situations where the recipient is a business. For example, a wide variety of database management tools exist that can facilitate access to the recipient preference profiles. The exact manner in which these activities occur is subject to great variation due to practical design choices of the

10 hardware, software, communications and data involved. As another example, the control systems of the data center 110 and the messaging systems 150 may operate cooperatively such that various tasks and operations described above may occur at either location. As yet another example, the data center 110 may operate as the message dispatcher. Thus, the messaging systems 150 generate

15 the messages and upload them to the data center 110. Then, the data center reconciles the messages with the recipient preference profiles 190 and takes appropriate measures when dispatching or not dispatching the messages as discussed above.

Therefore, the inventive concept in its broader aspects is not limited to the

20 specific details of the preferred embodiments described above, but is defined by the appended claims and their equivalents.

What is Claimed is:

1. A system, comprising:
 - a plurality of messaging systems for processing respective messages intended for recipients;
 - a data center in operative communication with the plurality of messaging systems for storing a recipient preference profile associated with each respective recipient; and
 - a control system for:
 - accessing an intended recipient preference profile corresponding to an intended recipient of a message; and
 - using the intended recipient preference profile to process the message.
2. The system of claim 1, wherein:
 - the recipient preference profile provides a primary address where messages are generally directed, a secondary address and a message rerouting instruction including a specified time period; and
 - the control system is further for dispatching messages to the secondary address during the specified time period.
3. The system of claim 1, wherein:
 - the recipient preference profile provides an indication of a preferred format for messages; and
 - the control system is further for dispatching messages to the intended recipient in the preferred format.
4. The system of claim 1, wherein:
 - the recipient preference profile includes no interest data pertaining to senders that the intended recipient does not wish to receive messages

from; and

the control system is further for not dispatching messages to the intended recipient if the messaging system is operated by a sender described by the no interest data.

5. The system of claim 1, wherein:
the recipient preference profile provides a message hold instruction; and
the control system is further for not dispatching messages to the intended recipient while the message hold instruction is active.
6. The system of claim 5, wherein:
the control system is further for collecting discrete messages directed to the intended recipient while the hold instruction is active and
consolidating the collected discrete messages into a composite message for delivery to the intended recipient when the hold instruction is not active.
7. A method of operating a data center, the method comprising the step(s) of:
communicating with a plurality of messaging systems, the messaging systems for processing respective messages intended for recipients;
storing respective recipient preference profiles established by the recipients; and
providing an intended recipient preference profile corresponding to an intended recipient of a message for use by a messaging system in processing the message.
8. The method of claim 7, further comprising the step(s) of:
including within the recipient preference profile a primary address where messages are generally directed, a secondary address and a message

rerouting instruction including a specified time period wherein messages produced by the messaging systems are to be dispatched to the secondary address during the specified time period.

9. The method of claim 7, further comprising the step(s) of:
including within the recipient preference profile an indication of a preferred format for messages and wherein messages produced by the messaging systems are to be dispatched to the intended recipient in the preferred format.
10. The method of claim 9, further comprising the step(s) of:
including within the recipient preference profile no interest data pertaining to senders that the intended recipient does not wish to receive messages from and wherein messages produced by the messaging systems are not to be dispatched to the intended recipient if the messaging systems are operated by a sender described by the no interest data.
11. The method of claim 7, further comprising the step(s) of:
including within the recipient preference profile a message hold instruction and wherein messages produced by the messaging systems are not to be dispatched to the intended recipient while the message hold instruction is active.
12. The method of claim 11, further comprising the step(s) of:
collecting discrete messages directed to the intended recipient while the hold instruction is active and consolidating the collected discrete messages into a composite message for delivery to the intended recipient when the hold instruction is not active.

| Table 1. Demographic characteristics of the study population | |
|--|------------|
| Age (years) | 65.5 ± 1.2 |
| Gender (male/female) | 10/10 |
| Education (years) | 12.5 ± 0.5 |
| Occupation (white/blue) | 10/10 |
| Marital status (married/divorced/widowed) | 10/10/0 |
| Smoking status (smoker/nonsmoker) | 10/10 |
| Alcohol consumption (yes/no) | 10/10 |
| Comorbidities (hypertension/diabetes/cholesterol) | 10/10/10 |
| Medication (antihypertensive/antidiabetic/anticholesterol) | 10/10/10 |
| Physical activity (yes/no) | 10/10 |
| Stress level (low/high) | 10/10 |
| Sleep quality (good/poor) | 10/10 |
| Depression score (0-10) | 2.5 ± 0.5 |
| Life satisfaction score (0-10) | 7.5 ± 0.5 |
| Overall health status (good/fair/poor) | 10/10/0 |




Fig. 1

F-126

2-3

190
↓

RECIPIENT PREFERENCE
PROFILE

| | |
|-----------------------|------|
| ID | 190a |
| Message Format | 190b |
| Delivery Instructions | 190c |
| Interests | 190d |
| No Interest | 190e |
| Primary Address | 190f |
| Secondary Address | 190g |
| | |

Fig. 2

00588853.060600




Fig. 3

DECLARATION AND POWER OF ATTORNEY
Patent Application

Attorney's Docket Number
F-126
Page 1 of 2

As below named inventor, I hereby declare that:

my residence, post office address and citizenship are as stated below next to my name;

I believe that I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled

RECIPIENT CONTROL OVER ASPECTS OF INCOMING MESSAGES

described and claimed in the attached specification;

I have reviewed and understand the contents of the above-identified specification, including the claims;

I acknowledge my duty to disclose to the Patent and Trademark Office all information known to me to be material to the patentability of this application as defined in Title 37, Code of Federal Regulations, section 1.56; and

I do not know and do not believe the invention was ever known or used in the United States of America before my invention thereof, or patented or described in any printed publication in any country before my invention thereof or more than one year prior to this application, that the invention was not in public use or on sale in the United States of America more than one year prior to this application, that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months prior to this application, and that no application for patent or inventor's certificate on this invention has been filed in any country foreign to the United States of America prior to this application by me or my legal representatives or assigns.


I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith;

Angelo N. Chaclos
Michael E. Melton
David E. Pitchenik
Robert E. Meyer

Reg. No. 39,134
Reg. No. 32,276
Reg. No. 24,020
Reg. No. 26,307

009090" E588560

009090" E3333560

| DECLARATION AND POWER OF ATTORNEY Patent Application | | | Attorney's Docket Number F-126 | |
|---|--------------------|------------|-----------------------------------|----------------|
| Page 2 of 2 | | | | |
| <p>Address all telephone calls to Angelo N. Chaclas at telephone No.: (203) 924-3844.</p> <p>Address all correspondence to: Angelo N. Chaclas Pitney Bowes Inc. Intellectual Property and Technology Law Department 35 Waterview Drive P.O. Box 3000 Shelton, CT 06484</p> <p>I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.</p> | | | | |
| Full Name | Last | First | | Middle |
| | Law | Robert | | A. |
| Residence & Citizenship | City | | State | Citizenship |
| | Ridgefield | | CT | US |
| Post Office Address | Street Address | City | State | Zip Code |
| | 36 Powderhorn Road | Ridgefield | CT | 06877 |
| Signature of Inventor  | | | | Date 6-6-00 |